


coordinated solutions for your facilities.





Fine planning for cupboard systems



Spatial planning



Planning for central storerooms



Implementation and service

Five steps to success:

Planning of operating and nursing areas — Planning, supervision of construction, processing and execution.

Costing

Taking into consideration existing storage and transport media, we determine and calculate the actual requirements, both with regard to quantities and cost.

Spatial planning

We calculate the exact storage capacity required on the basis of consumption analyses, and storage facilities are redesigned to meet the requirements with regard to hygiene and ergonomics.

We also optimize the interfaces between operations, logistics and office organization to ensure seamless transitions.

Drafting and design

We plan the installations on the basis of logistical standards. Material and design are tailored to the specific requirements in your facility.

Schedule

We supervise construction, coordinate and monitor technical processes and deadlines – if required, in cooperation with your technicians, planners and specialist engineers. Where there are special requirements (radiation protection, fire protection etc.), our specialists will find the ideal solution while still ensuring optimum logistics planning.

Service

Thanks to our network of specialist dealers and partners, we are in a position to act quickly and reduce downtimes to a minimum.

ZARGES Inc.

1440 Center Park Drive, Charlotte, NC 28217 zargesmed.com | info@zargesmed.com | 704-357-6285

ZARGES
Carts,
shelving system,
and logistics
for healthcare

ZARGES carts, shelving system and logistics solutions for healthcare – structuring complex workflows.

ZARGES has many decades of experience and knows exactly what matters when it comes to healthcare facility logistics. That's why planning and consultancy services are an integrated part of our offering, from comprehensive initial analysis to the training of personnel. We know how detailed planning, precise implementation and optimum deployment boosts efficiency and optimizes costs.



W105 storage cart:

Functional transport and storage cart for a wide range of applications.

More on page 16.



Contents	page
Logistics Solutions	<u>2</u>
MPO systems	<u>6</u>
Shelving systems	<u>12</u>
W105 storage carts	<u>16</u>
Box carts	<u>24</u>
Data Carts	<u>32</u>

ZARGES carts – practical helpers for every task.



MPO modular organization cart (see p. 6)





W170 transport cart (see p. 25)



W 171 transport cart with three part lid, anodized (see p. 26)



W105 cupboard cart (see p. 16)



Modules and modular baskets (see p. 14)

Modular system (see p. 13)

ZARGES shelving & logistics solutions for healthcare.



Logistics solutions for the healthcare sector (see p. 34)



Shelving system (see p. 12)



W105 for laundry transport and storage (see p. 18)

ZARGES MPO –

robust and flexible modular organization carts

Priced from: **\$1230 - \$2447**



A coordinated family of products for individual requirements.

The requirements placed on carts for mobile use of equipment are manifold. ZARGES modular carts can be tailored precisely to your individual requirements so that you are optimally equipped for every application. Whether you need to operate medical equipment while doing the rounds on hospital wards or working in a laboratory – the modular design of ZARGES MPO allows a wide variety of options which you can configure to your specific needs. Their unlimited mobility and modularity enable these carts to be extremely flexible and ready for use in all applications.



1 Aluminum handle.
Aluminum handle provides
comfortable handling. Easy
to clean. A wide range of
standard accessories may be
easily attached.

You have further questions?
Then feel free to contact us:
info@zargesmed.com
More information at: zargesmed.com



Precision casters, optionally with deflector. Four precision casters, two of them with wheel brakes for maximum mobility in confined spaces.



Worktop options.

HPL with / without raised edge. Plastic with / without gallery, optionally with adjustable rail. Stainless steel.



Side wall options.

Side wall, available with multiple options for colored center segment (CI).



5 Wall Deflector: abrasion resistant plastic padding.



6 Corner posts: made from anodized aluminum.

Support system options

Support wall:

- Hygienic, easy to clean.
- Narrowly spaced divisions allow variable loading options.
- Can be fitted with a front roller door.

Support wall Telescopic rails

Telescopic rails:

- High load bearing capacity, up to 55.1 lbs.
- Maximum access depth, fully extensible.

Front options

 $\boldsymbol{\mathsf{A}}$ variety of fronts are available for differing designs and applications.



Doors



Doors/drawers



Roller door



Modular drawers



Drawers

MP0 IT cart









Keyboard drawer



Electronics compartment



With the MPO IT cart, ZARGES offers a solution for flexible work stations and mobile access to system data. The easy to move MPO IT cart can be equipped to accommodate various IT solutions including notebooks and computers (PC with screen or thin client).

- Body made from sturdy, anodized aluminum corner profiles, and aluminum side walls and rear wall, all with powder coated surfaces.
- Different front styles available.
- Drawers are mounted on telescopic rails, with soft closing and drawer stop.
- Space saving roller door with support wall.
- Worktop available in HPL or ABS plastic, with and without railing, and as an option with an adjustable rail rod.
- Keyboard drawer.
- Monitor bracket.
- Four plastic padded wall guards at the height of the cart floor.
- Four swivel casters, 4.9" diameter, two with brakes.
- Ergonomically shaped sliding handle made of anodized aluminum.
- Lockable compartment for power supply, thin client and/or router.
- Different heights and widths available.
- Standard color: light gray, RAL 7035. The side panels may be special ordered in custom colors.

MPO supply cart







One ISO

You need to have the right materials at hand, at the right place, at the right time, and in the right quantity. The MPO storage and transport cart can help you to master this challenge.

- Space saving opening through roller door which can be removed without the use of tools.
- Optional lockable roller door.
- Interior fittings: can optionally be fitted with modular drawers (3.9" / 5.9" /9.8") and/or modular baskets (2.0" / 3.9" / 7.9"), mounted on support wall.
- Body made from sturdy, anodized aluminum corner profiles, and aluminum side walls and rear wall, all with powder coated surfaces.
- Worktop available in HPL or ABS plastic, with and without railing, and as an option with an adjustable rail rod.
- Floor made from sturdy all plastic sheet.
- Four plastic padded wall guards at the height of the cart floor (optional).
- Four swivel casters, 4.9" diameter, two with brakes.
- Large selection of available accessories.
- Standard color: light gray, RAL 7035. The side panels may be special ordered in custom colors.



Plastic side wall, inside



Plastic roller door, optionally lockable

The practical roller door is available for many sizes for the ZARGES MPO range, both in one ISO and two ISO:

	One ISO		Two ISO	
	Width: 15.7"	Width: 23.6"	Width: 15.7"	Width: 23.6"
Height: 35.4" SKU:	46425	46422	46431	46428
Height: 39.4" SKU:	-	46257	-	46258
Height: 43.3" SKU:	-	46259	-	46260
Height: 59.1" SKU:	46424	46421	46430	46427
Height: 70.9" SKU:	46423	46420	46429	46426

MPO accessories



Standard rail

For end face,

Material: anodized aluminum.

For cart depth in.	SKU
15.7	46318
23.6	46319



ZIP box holder, triple compartment

Hooks onto the standard rail, Material: powder coated steel.

SKU	
46333	



Knee operated recyclables collector

For mounting on an end face.

Volume, approx. ft³	SKU
0.3	46297
0.7	46298



Front panel with digital lock for roller door

For mounting on an end face.

For cart width, approx. in.	SKU
15.7	363333
23.6	363328



Front panel with cylinder lock for roller door

For mounting on an end face.

For cart width, approx. in.	SKU
15.7	361988
23.6	361947



Document holder

Material: plastic, white.

SKU	
46253	



Wire waste collection frame

Hooks onto the standard rail, with plastic lid.

Volume, approx. ft³	SKU
0.2	46282
0.5	46283
1.1	46284



Color for side walls of the cart

As an option, you can order side walls with a colored center segment.

* Standard



RAL 6019, green

RAL 7035, light gray*




RAL 5024, blue



Anodized aluminum

MPO interior fittings

	Aodular drawer ×W×H, approx. in.	Matching dividers for ABS modules and ABS modular baskets (L × H, approx. in.)	ZIP box submodules and matching dividers (L × W × H, approx. in.)
	46204 ABS modular drawer 23.6 x 15.7 × 3.0 / 3.7	46027 Lengthwise divider for 46000, 23.6 × 7.9 46028 Crosswise divider for 46000, 15.7 × 7.9	46180 ZIP box, ABS, light gray 12.8 x 3.4 x 2.6 46181 ZIP divider for 46180
	46205 ABS modular drawer 23.6 x 15.7 × 4.9 / 5.7	46029 Lengthwise divider for 46005/46005/46202, 23.6 × 3.9 Crosswise divider for 46005/46202, 400 × 100	46182 ZIP box, ABS, light gray 12.8 x 5.1 x 2.6 46183 ZIP divider for 46182
1	46206 ABS modular drawer 23.6 x 15.7 × 9.8	46034 Lengthwise divider for 46011 23.6 × 2.0 46035 Crosswise divider for 46011 15.7 × 2.0	46184 ZIP box, ABS, light gray 13.6 × 3.5 × 4.5 46185 ZIP divider for 46184
10	46208 ABS modular drawer 15.7 x 23.6 × 4.9 / 5.7	PC modules and PC modular baskets, transparent (L × W × H, approx. in.)	46186 ZIP box, ABS, light gray 13.6 × 5.3 × 4.5 46187 ZIP divider for 46186
4	46209 ABS modular drawer 15.7 x 23.6 × 8.9 / 9.6	46001 PC modular basket 23.6 x 15.7 × 7.9	Accessories for modular drawers, modules and modular baskets (L × W × H, approx. in.)
	s and ABS modular baskets, ue (L × W × H, approx. in.)	46004 PC modular basket 23.6 x 15.7 × 3.9	46467 Stopper (1 pc. per basket)
	46000 ABS modular basket 23.6 x 15.7 × 7.9	46010 PC medications module 23.6 x 15.7 × 2.0	46026 Drawer stop, grayish white, one piece for modules and modular baskets
	46005 ABS modular basket 23.6 x 15.7 × 3.9	46203 PC module 23.6 x 15.7 × 3.9	46019 Label holder (POM) cross- wise, white, unbreakable
	46011 ABS medications module	Matching dividers for PC modules and PC modular baskets (L × H, approx. in.)	and shock resistant, 2.6 × 0.6 × 1.7
	23.6 x 15.7 × 2.0 46200 ABS module [not sub dividable]	46040 Lengthwise divider for 46001 / 46206 / 46209, 23.6 × 7.9 Crosswise divider for 46001 / 46206 / 46209, 15.7 × 7.9	Label holder (POM), white, unbreakable and shock resistant, can be inserted in the slits of the modular baskets, mounted on the module edge and on dividers, 1.7 × 0.6 × 2.5
	23.6 x 15.7 × 7.9 46201 ABS module lid 23.6 x 15.7 × 0.6	46042 Lengthwise divider for 46004/46203/ 46205/46208, 23.6 × 3.9 46043 Crosswise divider for 46004/46203/ 46205/46208, 15.7 × 3.9	46024 Label holder (POM), white, unbreakable and shock resistant, can be inserted in slit and mounted on dividers, 1.7 × 0.6 × 2.5
	46202 ABS module 23.6 x 15.7 × 3.9	Lengthwise divider for 46031 46010 / 46204 23.6 × 2.0 46032 Crosswise divider for 46010 / 46204 15.7 × 2.0	46025 Label holder plate (PS) for 46020 and 46024, 2.4 × 1.6 × 0.1



Storage and retrieval shelving/storage and retrieval cart





You have further questions?
Then feel free to contact us:
info@zargesmed.com
More information at: zargesmed.com

Hook in insert rails



U section profile with hole pattern, without cavity, easy to clean

The shelving system for a wide variety of applications.

- Universal shelving system for storage and retrieval areas.
- Simple height adjustment with removable insert rails.
- Height adjustment, with holes spaced every 2.8".
- Allows for horizontal or angled arrangement of the ISO modular baskets.
- Hygienic, easy to clean.
- For use with ISO modular baskets 23.6" × 15.7" made from plastic.
- Made of powder coated steel.
- Color light gray, RAL 7035.
- Frame made from robust square tubing 1.2" × 1.2".
- Frame made from U section, dimensions 1.3" × 1.3" × 0.1".
- Lower edge has height adjustable feet for storage and retrieval shelving or with casters for storage and retrieval cart.
- Hook in insert rails are made from anodized aluminum with sturdy abrasion resistant end caps made of fiberglass reinforced plastic PA6, color anthracite.



Note:


Matching modular baskets in various heights available. Shelving system in stainless steel version available on request.

Description	Dimensions L × W × H, approx. in.	SKU
Storage and retrieval cart, single row	19.0 × 24.0 × 68.9	46441
Storage and retrieval cart, double row	41.3 × 24.0 × 68.9	46442
Storage and retrieval shelving	-	-

Accessories

Description	Dimensions, approx. in.	SKU
Insert rail	23.6 (D)	46270
Insert rail, angled position	24.4 (D)	46271

Modules and modular baskets





You have further questions?


Then feel free to contact us:
info@zargesmed.com
More information at: zargesmed.com

ABS modules and ABS modular baskets, 23.6" × 15.7".

- For protected, tidy storage and safe stacking and transporting materials.
- Light blue.
- Dividers available for multiple configurations, with slots for lengthwise and crosswise dividers.
- Sealed floor provides protection against spilled liquids and dirt particles.
- Heat resistant to 185°F.
- Optional label holders may be easily attached.

See Fig No.	Description	Dimensions L × W × H, approx. in.	SKU
1	ABS modular basket	23.6 x 15.7 × 7.9	46000
2	ABS modular basket	23.6 x 15.7 × 3.9	46005
3	ABS module	23.6 x 15.7 × 2.0	46011
4	ABS module (not sub dividable)	23.6 x 15.7 × 7.9	46200
5	ABS module	23.6 x 15.7 × 3.9	46202
6	Lengthwise divider for 46000	23.6 × 7.9	46027
7	Crosswise divider for 46000	15.7 × 7.9	46028
8	Lengthwise divider for 46005 / 46202	23.6 × 3.9	46029
9	Crosswise divider for 46005 / 46202	15.7 × 3.9	46030
10	Lengthwise divider for 46011	23.6 × 2.0	46034
11	Crosswise divider for 46011	15.7 × 2.0	46035

Modules and modular basket accessories for ZARGES shelving system





1 Label holder (POM), white, unbreakable, shock resistant.


Can be inserted in slots, clipped on to module edge and dividers. Dimensions (L \times W \times H): approx. 1.7" \times 0.6" \times 2.5". SKU 46020.

SKU 46024 can not be clipped onto module edge.




2 Label holder (PC), transparent, for paper labels.

Clips onto upper edge of modules. Dimensions (L \times W \times H): 3.1" \times 1.5" \times 1.7". **SKU 46023**



3 Dividers for modules and modular baskets.

For product dimensions, see page 32. Lengthwise dividers and crosswise dividers, various formats.



4 T connector (ABS).

Attached at specified break points.

Dimensions (L × W × H):

1.9" × 1.0" × 1.1".

SKU 46022



5 Drawer stop, grayish white, one piece. For modules and modular baskets.

SKU 46026



6 Divider fixing.
Steel, blue, powder coated.
Dimensions (L × W × H):
1.0" × 0.4" × 0.4".
SKU 46060

ZARGES W105 storage carts -

ergonomics and comfort made to measure.

Priced from: **\$1793 - \$2339**





Perfectly equipped for a hard day's work.

ZARGES W105 aluminum carts are indispensable helpers for transportation and storage.

Top quality is always a question of details.

This multi functional cart is for protected, safe and hygienic storage, and for organized transport of tools, laundry, food and many other items. The W105 is designed to serve the needs of hospitals, clinics, laboratories, universities, laundries, caterers and others.


The ZARGES W105 cupboard cart is the solution of choice for internal and external transport and storage requirements. Features include a stable body made of anodized aluminum, peripheral frame made of solid profile sections, ergonomic sliding handles, doors that open wide with integrated seal and central locking, smooth running on asymmetrically arranged casters with rubber tires, and a wide range of equipment and functional accessories.













2 The **peripheral door seal** between the body and the door leaves is suitable for cleaning in wash down facilities and provides protection against dust.



3 Sliding handle: made from ergonomically shaped aluminum profile.



4 Under body: made completely from aluminum, corrosion resistant.



5 **Door lock:** ergonomically shaped. Can be fitted with a lead seal, easy to operate lever with locks at the top and bottom ensures reliable closing, suitable for transport by truck.



6 Fender: with abrasion and plastic padding, easy to replace.



7) Wheels: Two swivel and two fixed casters, corner mounted, easy running, rubber wheels, "non marking," roller bearings, thread guards.



8 Smooth interior: Inside dimensions correspond to clearance dimension. Easy to clean.

W105 universal storage cart





Practical transport and storage cart, e.g. for clean and soiled laundry and many other items.

- Aluminum cupboard cart, anodized, for a wide variety of applications.
- Open body on one side with peripheral profile section frame.
- Corner connection via corner pieces made from cast aluminum.
- Smooth interior; no undercuts / no inaccessible areas in wash down facility (inside dimensions correspond to clearance dimension).
- Integrated peripheral door seal in the profile section frame, for high noise damping and protection against dust.
- Two doors, foldable 270° parallel to the end faces, open doors secured by magnetic catch.
- Doors are 0.1" thick, with continuous profile hinges.
- Central locking with easy to operate lever ensuring reliable closing at top and bottom.
- Doors will not spring open during transport by truck.
- Ergonomically shaped sliding handle of anodized aluminum section on the swivel caster side.
- All round fender frame with abrasion resistant plastic padding at the bottom; heat resistant to 203°F.
- One fender half on the top, on the door side, with abrasion resistant plastic padding; heat resistant to 203 °F.
- Wheels: two swivel and two fixed casters, corner mounted, 7.9" diameter, 2" wide, easy running, rubber wheels, "non marking," roller bearings, thread guards.
- Also suitable for container wash down facilities when suitable special running gear casters are used.
- Easily sterilized and resistant to damage from cleaning agents.



W105 modular storage cart

The cupboard cart designed to transport modular trays and baskets.

- Aluminum cupboard cart, anodized, for a wide variety of applications.
- Open body on one side with peripheral profile section frame.
- Corner connection via corner pieces made from cast aluminum.
- Smooth interior; no undercuts / no inaccessible areas in wash down facility (inside dimensions correspond to clearance dimension).
- Integrated peripheral door seal in the profile section frame, for high noise damping and protection against dust.
- Two doors, foldable 270° parallel to the end faces, open doors secured by magnetic catch.
- Doors are 0.1" thick, with continuous profile hinges.
- Central locking with easy to operate lever ensuring reliable closing at top and bottom.
- Doors will not spring open during transport by truck.
- Ergonomically shaped sliding handle of anodized aluminum section on the swivel caster side.
- All round fender frame with abrasion resistant plastic padding at the bottom; heat resistant to 203°F.
- One fender half on the top, on the door side, with abrasion resistant plastic padding; heat resistant to 203°F.
- Wheels: two swivel and two fixed casters, 6.3" diameter, corner mounted, 2" wide, easy running, rubber wheels, "non marking," roller bearings, thread guards.
- Also suitable for container wash down facilities when suitable special running gear casters are used.
- Insert levels with ABS support rail for frictionless sliding of modules, suitable for ZARGES ISO standard modules.
- Easily sterilized and resistant to damage from cleaning agents.













Ext. length approx. in.	24.21	41.73	59.25	41.73
Ext. width approx. in.	27.56	27.56	27.56	27.56
Ext. height approx. in.	60.63	60.24	60.24	60.24
Int. length approx. in.	18.78	36.22	53.66	36.22
Int. width approx. in.	24.41	24.41	24.41	24.41
Int. height approx. in.	49.33	49.33	49.33	49.33
Volume, approx. cu. ft.	13.06	25.06	37.24	25.06
Weight, approx. lbs	99.00	147.40	171.60	136.40
SKU	41869	41870	41871	41872

W105 interior fittings

Note:

Wide selection of interior fittings available for optimum transport and storage.



Additional shelves firmly attached yet removable. For universal applications.



Insert levels for ZARGES ISO STANDARD modules.ABS support rails ensure that the modules slide easily.



Additional shelves can be folded.


Suitable for the transportation of waste and laundry.



Practical support systems from the ZARGES modular equipment range.
Support wall, shelf compartment, insert rails, variable and fixed installation telescopic rails.



Additional shelves height adjustable by means of notched rails. Suitable for various packaging sizes.



W105 accessories and customization



Color labeling for individualization.



Top fenders at the rear and reinforced corners for transport by truck.

Protection of the cart body during transport by truck.



Lock attachment.



Draw bar and coupling for linking and moving carts in trains. For facility wide transport (up to five carts).



Label frame in various sizes.Simple holder for removable labels.



Special casters for various applications.

W105 hazardous goods







Ergonomically shaped sliding handle



Central locking



Fender frame with plastic padding

Cupboard cart with UN approval for the use of UN 3291.

Contaminated surgical tools may be transported between hospital and service company for disinfection and preparation. Due to the risk of infection, these objects are defined as hazardous goods of class UN 3291, clinical waste.

- Aluminum cupboard cart.
- Open body on one side with peripheral profile section frame.
- Corner connection via corner pieces made from cast aluminum.
- Smooth interior; no undercuts / no inaccessible areas in wash down facility (inside dimensions correspond to clearance dimension).
- Integrated peripheral door seal in the profile section frame, for high noise damping and protection against dust.
- Two doors, foldable 270° parallel to the end faces.
 Open doors secured by magnetic catch.
- Central locking with easy to operate lever ensuring reliable closing at top and bottom.
- Doors will not spring open during transport by truck.
- Ergonomically shaped sliding handle of anodized aluminum section on the swivel caster side.
- Peripheral fender frame at the bottom with abrasion resistant plastic padding,
 Wheels: two swivel and two fixed casters, corner mounted.
- Also suitable for container wash down facilities when suitable special running gear casters are used.
- Individual interior fittings.
- Easily sterilized and resistant to damage from cleaning agents.

W105 custom solutions



Cupboard cart with four doors, can be loaded from both sides

ZARGES – custom solutions.

Logistics is our business. So we know that sometimes innovation is required in order to achieve optimum workflows. Our years of experience enable us to determine individual customer needs on site, develop and manufacture solutions, and support the customer during deployment of our products.



Container for pharmaceutical companies, water vapor proof, anodized, seal welded, complies with the most stringent hygiene requirements.



 $Solutions \ for \ driverless \ transport \ systems$

ZARGES box carts –

versatile solutions for your logistics tasks.



W170 transport cart



The all rounder: a sturdy box cart for universal applications, for facility logistics, laundries, or for the transportation of waste.

- Sturdy, generously dimensioned edge and base profile sections, high strength positive locking ensures permanent bonding to jacket and base metal.
- End and side walls reinforced with peripheral beading and corner beads.
- Wheels: two swivel and two fixed casters, corner mounted,
 4.9" diameter, 1.6" wide, easy running, rubber wheels, "non marking," roller bearings, thread guards.
- Casing joint riveted throughout. Frame profile sections welded.



Peripheral beads and corner beads

Inside dimensions L × W × H, approx. in.	Outside dimensions L × W × H, approx. in.	Volume, approx.ft.³	Weight, approx. lbs.	SKU
39.4 x 25.2 x 25.6	41.3 x 21.2 x 33.7	14.7	43	40631
49.2 x 27.6 x 29.5	51.2 x 29.5 x 37.6	23.1	52.25	40635


Other Wheels configurations available on request.

Accessories

Description	Fits SKU	SKU
Hinged lid with belt strap and	40631	40654
two snap fasteners	40635	40675



 ${\it Casters \ suited \ to \ the \ application}$





W171 transport cart with three part lid





Drain valve as standard



Three part lid



Fender frame as standard

Versatile transport cart with lid to protect contents, and an anodized, abrasion resistant surface.

- Three part lid folding mechanism and a front panel flap.
- Anodized design.
- Container cutout with profile section surround; profile section joints continuously welded.
- Sturdy, generously dimensioned edge and base profile sections, high strength positive locking ensures permanent bonding to jacket and base metal.
- Smooth walls without beads.
- Seam welded, base joint sealed all round.
- Cart base with drainage channel and drain valve.
- Sliding handle at swivel caster end.
- Plastic padded peripheral fender frame.
- Wheels: two swivel and two fixed casters, corner mounted,
 7.9" diameter, 2" wide, easy running, rubber wheels,
 "non marking," roller bearings, thread guards.

Inside dimensions L × W × H, approx. in.	Outside dimensions L × W × H, approx. in.	Volume, approx. ft. ³	Weight, approx. lbs.	SKU
39.4 x 22.6 x 47.2	44.9 x 27.0 x 59.7	24.4	66.1	40691
49.2 x 27.6 x 47.2	54.7 x 31.9 x 58.7	37.1	77.2	40692




W171 with fold down section and beading




Sturdy transport solution with large flap for easy and ergonomic access to the contents of the cart.

- Sturdy, generously dimensioned edge and base profile sections, high strength positive locking ensures permanent bonding to jacket and base metal.
- End and side walls reinforced with peripheral beading and corner beads.
- One side with fold down section folding half way for more convenient loading and unloading.
- Container cutout with profile section surround; profile section joints continuously welded.
- Flap with bolt retainer and moving holding hinges.
- Wheels: two swivel and two fixed casters, corner mounted,
 4.9" diameter, 1.6" wide, easy running, rubber wheels, "non marking," roller bearings, thread guards.



Accessories

Description	Fits SKU	SKU
Hinged lid with belt strap and	40633	40559
two snap fasteners	40674	40675





Peripheral beads and corner beads



Casters suited to the application



Accessories and special equipment for the W170/W171 box cart range





Tow bar with coupling
Folds upwards.
Firmly attached towing device.

SKU 3008



Wheels / casters

4.9" diameter, 1.6" wide. 6.3" diameter, 1.6" wide. 7.9" diameter, 2.0" wide. Also available for container

wash down facilities on request.

SKU by request



Center pivot

1.6" diameter For lift tilt device. SKU by request



Brake for swivel casters

SKU by request



Sliding handle

Made from anodized aluminum section.

SKU by request



Peripheral fender frame

Plastic padded.

SKU by request

Transport container, mobile



Mobile transport and collection container

- Sturdy edge and base profile.
- End and side walls reinforced with peripheral beading and corner beads.
- Profile reinforced, hinged lid with slot approx. 16.5" x 0.9" with sheet metal security flap.
- One galvanized steel snap fastener.
- One sliding handle on the wheel side.
- Wheels: Axle tube with two rubber wheels, 7.9" diameter.

Inside dimensions L × W × H, approx. in.	Overall width approx. in.	Volume, approx. ft. ³	Weight, approx. lbs.	SKU
17.7 x 21.7 x 39.0	22.8	8.5	33.1	40896

Shelf cart

Flexible platform cart for collection and transportation of goods with ready access from all sides.

- With two sliding handles and integrated edge reinforcement.
- Plastic deflector casters.
- Wheels: four corner mounted swivel casters, 4.9" diameter,
 1.6" wide, easy running, rubber wheels, "non marking," roller bearings, thread guards.
- Optional accessories: wheel brake for swivel casters with 4.9" diameter.
- Load capacity per shelf: 88.2 lbs.
- SKU 40726 with 2 shelves (distance between the shelves 19.2").
- SKU 40727 with 3 shelves (distance between the shelves 9.1").

Number of shelves	Shelf dimensions L × W, approx. in.	Outside dimensions L × W × H, approx. in.	Weight, approx. lbs.	SKU
2	31.5 x 20.5	36.4 x 25.2 x 34.3	26.5	40726
3	31.5 x 20.5	36.4 x 25.2 x 34.3	35.3	40727



Utility cart

Safe transportation of small items and easy access through attachable end and side panels.

- Sturdy, smooth platform.
- Wheels: two swivel and two fixed casters, corner mounted,
 6.3" diameter, 1.6" wide, easy running, rubber wheels,
 "non marking," roller bearings, thread guards.
- Swivel casters with wheel brakes.
- Supplementary parts for basic model: smooth, removable end and side panels (easy subsequent assembly).

Supplementary set for basic model SKU 40785

- Push Pull bar, anodized, with end panel, SKU 40787.
- Aluminum side panel, one part, SKU 40788.

Inside dimensions L × W × H, approx. in.	Outside dimensions L × W × H, approx. in.	Load capacity lbs.	Weight, approx. lbs	SKU
39.4 x 25.8 x 24.4	47.2 x 29.5 x 41.3	661.4	29.1	40785

Utility cart configurations



SKU 40785



SKUs 40785 and 40787



SKUs 40785 and 2 × 40787



SKU 40785 and 2×40787 and 1×40788



W172 transport cart



Inside dimensions L × W × H, approx. in.	Outside dimensions L × W × H, approx. in.	Volume, approx. ft. ³	Weight, approx. lbs	SKU
59.1 x 35.4 x 27.6	65.0 x 37.4 x35.0	33.4	81.6	40634

Sturdy aluminum cart for a wide variety of applications.

- Sturdy, generously dimensioned edge and base profile sections, high strength positive locking ensures permanent bonding to jacket and base metal.
- End and side walls reinforced with peripheral beading and corner beads.
- One long side with cutout section, approx. 48.4" x 11.6".
- Container cutout with profile section surround; profile section joints continuously welded.
- Wheels: two swivel and two fixed casters, corner mounted, 7.9" diameter, 2.0" wide, easy running, rubber wheels, "non marking," roller bearings, thread guards.
- One sliding handle at either end

W181 transport cart



Aluminum box cart for transporting sensitive, lightweight goods.

- Sturdy edge and base profile.
- Smooth inside walls.
- Side panel connection straight bead riveted.
- Wheels: two swivel and two fixed casters, corner mounted, 3" diameter, 1" wide, easy running, rubber wheels, "non marking," roller bearings, thread guards.

Inside dimensions L × W × H, approx. in.	Outside dimensions L × W × H, approx. in.	Volume, approx. ft. ³	Weight, approx. lbs	SKU
29.9 x 15.7 x 19.7	31.5 x 17.3 x 24.6	5.3	17.6	40650

W182 transport cart



Sturdy aluminum cart for a wide variety of applications.

- Sturdy edge and base profile.
- End and side walls reinforced with peripheral beading and corner beads.
- Stackable.
- Wheels: two swivel and two fixed casters, corner mounted,
 4.9" diameter, 1.6" wide, easy running, rubber wheels, "non marking," roller bearings, thread quards.

Inside dimensions L × W × H, approx. in.	Outside dimensions L × W × H, approx. in.	Volume, approx. ft. ³	Weight, approx. lbs	SKU
27.6 x 22.0 x 23.2	29.1 x 26.6 x 29.9	8.1	26.5	40661
27.6 x 22.0 x 23.2	29.1 x 26.6 x 29.9	8.1	26.5	40780

W161 spring loaded cart



No more bending: loads are kept at a constant height for easy access, for example in libraries, laundries or in the catering trade.

- Sturdy, generously dimensioned edge and base profile sections,
 high strength positive locking ensures permanent bonding to jacket metal.
- Edge profile section reinforced with abrasion resistant plastic padding.
- Cart with vertically movable base which keeps the load at constant height for easy access (Fig. 1).
- Depending on the type of cart, the load capability can be varied from 66.1 to 429.9 lbs. in increments of 33.1 lbs. by means of replaceable lifting elements.
- The movable base does not tilt, even when loaded on only one side (Fig. 2).
- Wheels: two swivel and two fixed casters, 4.9" diameter, 1.6" wide, easy running, rubber wheels, "non marking," roller bearings, thread guards. Casters arranged centrally for easy maneuvering even in the most confined spaces.
- Corner mounted wheels available on request.





Fig. 1 Constant working height



Fig. 2 Replaceable lifting elements



Inside dimensions L × W × H, approx. in.	Outside dimensions L × W × H, approx. in.	Volume, approx. ft.³	Weight, approx. lbs	Set for loading lbs	SKU
39.4 x 25.6 x 19.1	41.7 x 28.0 x 32.3	11.1	54.0	195.4	40644
39.8 x 16.5 x 18.1	41.7 x 18.5 x 31.5	6.9	46.3	66.1	40645*
39.8 x 23.6 x 18.1	41.7 x 25.6 x 31.5	9.9	55.1	99.2	40646
55.5 x 27.6 x 22.8	57.5 x 29.5 x 36.3	20.1	69.4	330.7	40756

* Wheels: four corner mounted swivel casters



Storage and retrieval cart, project specific

Variation: spring loaded cart with step stool

The combination of a spring loaded cart with a step stool is particularly suitable for use in storage and retrieval areas in industry.

Project specific fabrication to meet your individual requirements.


ZARGES DATA® –

new, even more user friendly concept.

Priced from: \$305 - \$1612



- Especially sturdy due to large edge and base profiles.
- Unique stability because profile section joints are continuously welded in the cross section.
- The profile sections have a fully integrated and permanently engineered bond which positive locks them to the jacket and base metal.
- End and side walls reinforced with peripheral beading and corner beads (2.5 ft.3 container with corner beads only).
- All riveted joints are made with high quality full rivets.
- Lid has solid surrounding lid frame with integrated wall fenders (piping buffer profile) and slotted lid plate.
- Lid with slot (approx. $16.5" \times 0.9"$), with locking plate and spring loaded flap.
- Logo holder for your unique labeling.
- Container available with various locking system options.
- Optimum mobility with a wide choice of wheel options.



Select the ZARGES DATA® security container suitable for your application. With seven different basic models and a wide range of accessories, you can choose from well over a hundred possibilities.

Where order quantities permit, we can also produce custom solutions.

Spring loaded flap with or without locking bar

Lids are equipped as standard with a deposit slot and spring loaded flap.

Locking bars for securing the flap are available as an option.



Lid can be opened wide for easy unloading



Lockable deposit slot as an option

Individual labeling of your ZARGES Data® security container

The redesigned logo holder on the lid allows you to label your container individually. Label your ZARGES DATA® security container with your company logo, the name of your department or other information. Print out your label, cut it to size and insert it.

We recommend you order an empty sheet of waterproof labels for your printer at the same time. And of course, we can also supply your ZARGES DATA® security container security container prelabeled with your company logo. The sturdy Plexiglas sheet protects your label from scratches. Logo holders are delivered with the ZARGES DATA® logo as standard.

If you use the latch lock, logo holder 2 can be attached in the recess as an option.



Replaceable logo holder



Logo holder positioned in the recess

Lock variants for more data security



Snap fastener secured with lead seals or a padlock.



Snap fastener with plug lock and secured with lead seals or a padlock.



The practical **combination lock.**Enter your personal code –
security even without keys.



Latch lock in the recess for maximum security. Individual locking system with authorized card. Lock body made from strong cast aluminum.

All round protective lid piping in various colors

Select from five standard piping colors. For large order quantities, you can specify your own color – please ask for more information.



gray









ZARGES hospital logistics

The ZARGES product offering ranges from modular storage cupboards, furniture and shelving right through to complete systems for transport, supply, distribution and disposal. All systems are coordinated with a modular design, ensuring that the individual elements dovetail perfectly.



Laundry transport and storage



Transport, storage and distribution of medication





Ward supply, storage and distribution



Supply and disposal for areas such as operating rooms





ZARGES logistics solutions in the healthcare sector – example applications



MP0 medication cart



Storage for operating rooms



W 105 cupboard cart



Container for driverless transport systems



